

EC TYPE-EXAMINATION CERTIFICATE: 1665

Product description: - Hearing Protection – Ear Plugs

Product identification: - NTLS-04C – corded/reusable/11.5mm dia.
STDY-03 – corded/single use/12.0mm dia.
STDY-03C – corded/single use /12.0mm dia.

Manufacturer: - Nautilus International (Cayman) Ltd
P.O. Box 30739
Ground Floor, Elizabethan Square
Grand Cayman KY1-1201 Cayman Islands

When assessed and examined against harmonised standard EN352-2:2002 is found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: - Singer Freres
54 Rue de Lumbres
BP77
62968 Longuenesse Cedex
France

SignedDate: 17th May 2007

K J Warren, Manager, Certification Services

For and on behalf of INSPEC International Ltd.
(Notified Body No: 0194)



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- | | | | | |
|------|--------------------------|---|---|---------|
| i) | Test Reports | - | } | TF/1347 |
| ii) | Technical File | - | | |
| iii) | Test and Inspection Plan | - | | |

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.



CERTIFICATION INDEX

Item	Status	Issued	Amendment
Pages 1-4	Current	070517	First Issue



CERTIFICATION SCHEDULE

Model reference	Details	Size
NTLS-04C	corded/reusable	11.5mm diameter
STDY-03	corded/single use	12.0mm diameter
STDY-03C	corded/single use	12.0mm diameter

